

# NORTHEAST GREENS

## Welcome to Rotation Nation

Because the future of our industry depends on the efficacy of our products, PBI-Gordon established Rotation Nation. These fungicide rotation programs were developed to meet the specific needs of each region, while managing resistance by enlisting a variety of products and active ingredients, including the proven performers in our fungicide line:

- ★ **Kabuto® Fungicide SC**  
Excellent control of dollar spot and Spring dead spot!
- ★ **Segway® Fungicide SC**  
Proven protection against Pythium disease.
- ★ **Tekken® Broad Spectrum Fungicide**  
One application rate controls 21 diseases for up to 28 days.
- ★ **Pedigree Fungicide SC**  
The proven performance of flutolanil in a liquid formulation.
- ★ **Union™ Fungicide SC**  
Superior Pythium control plus broad-spectrum disease protection.

**No matter your region, PBI-Gordon fungicides are formulated to play a powerful role in your rotation program.**

Fungicide application recommendations for disease management on greens in the Northeast are selected primarily for the control of anthracnose, dollar spot, Summer patch and brown patch, as well as mid-summer preventive applications for Pythium disease.

Golf courses with *Poa annua* putting greens are exceptionally at risk of development of anthracnose and dollar spot starting in May and persisting throughout the Summer months into early Fall. Although applications for the control of snow mold are not included in the program, preventive spray programs for pink snow mold prior to snow cover are warranted.

APP#	TREATMENT	TYPE	RATE	UNIT	APP DATE	FRAC	ACTIVE INGREDIENTS	DISEASES CONTROLLED
1	Secure® Fungicide	SC	0.5	fl. oz./1,000 ft <sup>2</sup>	May 1	29	Fluazinam	Dollar spot
2	Appear® II Fungicide	L	6.0	fl. oz./1,000 ft <sup>2</sup>	May 8	P07	Potassium phosphite	Pythium root rot
	Pedigree Fungicide	SC	3.25	fl. oz./1,000 ft <sup>2</sup>	May 8	7	Flutaloniol	Fairy ring/Waitea patch
3	Daconil® Action™ Fungicide	F	3.5	fl. oz./1,000 ft <sup>2</sup>	May 15	M5+P1	Chlorothalonil+acibenzolar-S-methyl	Dollar spot/Anthracnose/Brown patch/Leaf spot
4	Segway® Fungicide SC	SC	0.45	fl. oz./1,000 ft <sup>2</sup>	May 22	21	Cyazofamid	Pythium root rot
5	Tekken® Broad Spectrum Fungicide	SC	3	fl. oz./1,000 ft <sup>2</sup>	May 29	3+7	Isofetamid+tebuconazole	Dollar spot/Anthracnose/Brown patch/Leaf spot/Summer patch/Yellow patch/Waitea patch
6	Fame® SC Fungicide	SC	0.36	fl. oz./1,000 ft <sup>2</sup>	Jun 5	11	Fluoxastrobin	Pythium root rot/Anthracnose/Fairy ring/Leaf spot/Yellow patch/Waitea patch
	Appear® II Fungicide	L	6.0	fl. oz./1,000 ft <sup>2</sup>	Jun 5	P07	Potassium phosphite	Pythium root rot
7	Daconil® Action™ Fungicide	F	3.5	fl. oz./1,000 ft <sup>2</sup>	Jun 12	M5+P1	Chlorothalonil+acibenzolar-S-methyl	Dollar spot/Anthracnose/Brown patch/Leaf spot
8	Segway® Fungicide SC	SC	0.45	fl. oz./1,000 ft <sup>2</sup>	Jun 19	21	Cyazofamid	Pythium root rot/Pythium blight
	Pedigree Fungicide	SC	3.25	fl. oz./1,000 ft <sup>2</sup>	Jun 19	7	Flutaloniol	Fairy ring/Waitea patch
9	Maxtima® Fungicide	SC	0.6	fl. oz./1,000 ft <sup>2</sup>	Jun 26	3	Mefentrifluconazole	Dollar spot/Anthracnose
10	Union™ Fungicide	SC	5.75	fl. oz./1,000 ft <sup>2</sup>	Jul 3	21+11	Cyazofamid+Azoxytrobin	Pythium root rot/Pythium blight/Anthracnose/Brown patch/Fairy ring/Summer patch
11	26GT® Fungicide	SC	4	fl. oz./1,000 ft <sup>2</sup>	Jul 10	2	Iprodione	Dollar spot/Brown patch/Leaf spot
12	Fame®SC Fungicide	SC	0.36	fl. oz./1,000 ft <sup>2</sup>	Jul 17	11	Fluoxastrobin	Pythium root rot/Pythium blight/Anthracnose/Brown patch/Fairy ring/Summer patch
	Appear® II Fungicide	L	6.0	fl. oz./1,000 ft <sup>2</sup>	Jul 17	P07	Potassium phosphite	Pythium root rot/Pythium blight
13	Rayora™ Fungicide	SC	1.4	fl. oz./1,000 ft <sup>2</sup>	Jul 24	3	Flutriafol	Dollar spot/Anthracnose/Brown patch
14	Banol® Fungicide	L	2.0	fl. oz./1,000 ft <sup>2</sup>	Jul 31	28	Propamocarb hydrochloride	Pythium root rot/Pythium blight
	Appear® II Fungicide	L	6.0	fl. oz./1,000 ft <sup>2</sup>	Jul 31	P07	Potassium phosphite	Pythium root rot/Pythium blight
15	Daconil® Action™ Fungicide	F	3.5	fl. oz./1,000 ft <sup>2</sup>	Aug 7	M5+P1	Chlorothalonil+acibenzolar-S-methyl	Dollar spot/Anthracnose/Brown patch
16	Segway® Fungicide SC	SC	0.45	fl. oz./1,000 ft <sup>2</sup>	Aug 14	21	Cyazofamid	Pythium root rot/Pythium blight
17	26GT® Fungicide	SC	4	fl. oz./1,000 ft <sup>2</sup>	Aug 28	2	Iprodione	Dollar spot/Brown patch
18	Segway® Fungicide SC	L	0.45	fl. oz./1,000 ft <sup>2</sup>	Aug 28	21	Cyazofamid	Pythium root rot/Pythium blight
19	Tekken® Broad Spectrum Fungicide	SC	3	fl. oz./1,000 ft <sup>2</sup>	Sept 9	3+7	Isofetamid+tebuconazole	Dollar spot/Anthracnose/Brown patch
20	Kabuto® Fungicide SC	SC	0.5	fl. oz./1,000 ft <sup>2</sup>	Sept 23	7	Isofetamid	Dollar spot
21	Secure® Fungicide	SC	0.5	fl. oz./1,000 ft <sup>2</sup>	Oct 7	29	Fluazinam	Dollar spot
22	Instrata® Fungicide	SE	8	fl. oz./1,000 ft <sup>2</sup>	Nov 11	3+12+M5	Propiconazole+fludioxonil+chlorothalonil	Pink and gray snow mold

Note: New York State permits only one application of Tekken® per year.

ALWAYS READ AND FOLLOW LABEL DIRECTIONS.

Union™ is a trademark and Tekken® is a registered trademark of PBI-Gordon Corporation

Kabuto®, Secure®, and Segway® are registered trademarks of Ishihara Sangyo Kaisha, Ltd.

Action™ is a trademark, and Daconil®, Medallion®, Instrata®, and Appear® are registered trademarks of Syngenta Group Company

Maxtima® is a registered trademark of BASF

26GT® and Banol® are registered trademarks of Bayer

Rayora™ is a trademark, and Fame® is a registered trademark of FMC

It is the responsibility of the end-user/applicator to ensure that the product is registered in the state where the application is being made.

Refer to label for tank mixing instructions.

The pathogens causing anthracnose, dollar spot, and Pythium blight all have documented cases of resistance. If resistant strains exist at your facility, use alternate modes of action than those listed above.